

tp24

LED Lighting

LED LAMP BROCHURE

**NEW
DIMMABLE
LAMPS**

EDITION 5

DIMMABLE LAMPS

8210 GU10/LI LED Spot

DIMMABLE

NEW



* #

Cap type:	LI/GU10
Brightness:	330 Lumens
Wattage:	3.5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	120°
Dimming:	Dimmable
Dimensions:	55mm x 50mm
Voltage:	220 - 240v AC

8212 GU10/LI LED Long-neck Spot

DIMMABLE

NEW



* #

Cap type:	LI/GU10
Brightness:	400 Lumens
Wattage:	3.5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	120°
Dimming:	Dimmable
Dimensions:	76mm x 50mm
Voltage:	220 - 240v AC

8132 Frosted Round G40 SMD LED

DIMMABLE

NEW



#

Cap type:	G40
Brightness:	450 Lumens
Wattage:	5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	120°
Dimming:	Dimmable
Dimensions:	26mm x 50Ø
Voltage:	220 - 240v AC

8100 Single White Dimmer Dial 1 Way

Dimmable

118mm x 60mm
220 - 240v AC
250w

NEW



8101 Single White Dimmer Switch 2 Way

Dimmable

118mm x 60mm
220 - 240v AC
250w

NEW



8102 Double White Dimmer Switch 2 Way

Dimmable

118mm x 60mm
220 - 240v AC
250w

NEW



8142 Frosted Square G40 SMD LED

DIMMABLE

NEW



#

Cap type:	G40
Brightness:	450 Lumens
Wattage:	5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	120°
Dimming:	Dimmable
Dimensions:	25mm x 46mm
Voltage:	220 - 240v AC

8154 LI/GU10 Frosted LED Candle

DIMMABLE

NEW



* #

Cap type:	LI/GU10
Brightness:	450 Lumens
Wattage:	4W
Colour temp:	3000K
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	160°
Dimming:	Dimmable
Dimensions:	100mm x 35mm
Voltage:	220 - 240v AC

8304 LI/GU10 Frosted LED GLS

DIMMABLE

NEW



* #

Cap type:	LI/GU10
Brightness:	1080 Lumens
Wattage:	12W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	270°
Dimming:	Dimmable
Dimensions:	118mm x 60mm
Voltage:	220 - 240v AC

Retrofit Adaptors

1697

E27 to LI



*

1698

B22 to LI



Can be used with adaptor

8111 Single Chrome Dimmer Switch 2 Way

Dimmable

118mm x 60mm
220 - 240v AC
250w

NEW



8112 Double Chrome Dimmer Switch 2 Way

Dimmable

118mm x 60mm
220 - 240v AC
250w

NEW



GUIDE TO LAMP CAPS



LI/GU10

B22/BC

B15/SBC

E27/ES

E14/SES

X10
(LiveRod)

MR16/GU5.3

G9

LIX

G40

GX53

* Use tp24 LED lamps in your standard bayonet and screw cap fittings. Simply attach your new LED lamp to the correct adaptor and fit like normal.

tp24 dimmable lamps must only be used with tp24 dimmers switches or those from approved suppliers. If used with an unauthorized dimmer switch this will void your warranty and may damage your lamps. Contact us for more information...

sales@tp24.com

tp24 DEDICATED LAMPS

8710 GU10/LI LED Spot



Cap type:	GU10/LI
Brightness:	330 Lumens
Wattage:	3.5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	120°
Dimming:	Not dimmable
Dimensions:	58mm x 50mm
Voltage:	220 - 240v AC

8722 GU10/LI LED Long-neck Spot



Cap type:	GU10/LI
Brightness:	300 Lumens
Wattage:	3.5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	120°
Dimming:	Not dimmable
Dimensions:	68mm x 50mm
Voltage:	220 - 240v AC

4920 LIX LED Pygmy



Cap type:	LIX
Brightness:	240 Lumens
Wattage:	3W
Colour temp:	3000K
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	330°
Dimming:	Not dimmable
Dimensions:	42mm x 32mm
Voltage:	220 - 240v AC

4903 LI/GU10 Frosted LED Candle Tip



Cap type:	LI/ GU11
Brightness:	340 Lumens
Wattage:	4W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	120°
Dimming:	Not dimmable
Dimensions:	132mm x 40mm
Voltage:	220 - 240v AC

4904 LI/GU10 Clear LED Candle Tip



Cap type:	LI/GU12
Brightness:	350 Lumens
Wattage:	4W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	120°
Dimming:	Not dimmable
Dimensions:	132mm x 40mm
Voltage:	220 - 240v AC

8034 LI/GU10 Frosted LED Candle



Cap type:	LI/GU10
Brightness:	420 Lumens
Wattage:	4W
Colour temp:	3000K
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	160°
Dimming:	Not dimmable
Dimensions:	100mm x 35mm
Voltage:	220 - 240v AC

8620 Clear Round G40 SMD LED



Cap type:	G40
Brightness:	340 Lumens
Wattage:	3.5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	120°
Dimming:	Not dimmable
Dimensions:	22mm x 50Ø
Voltage:	220 - 240v AC

8624 Frosted Round G40 SMD LED



Cap type:	G40
Brightness:	320 Lumens
Wattage:	3.5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	120°
Dimming:	Not dimmable
Dimensions:	26mm x 50Ø
Voltage:	220 - 240v AC

8630 Clear Square G40 SMD LED



Cap type:	G40
Brightness:	340 Lumens
Wattage:	3.5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	120°
Dimming:	Not dimmable
Dimensions:	22mm x 46mm
Voltage:	220 - 240v AC

8054 LI/GU10 Frosted LED GOLF BALL



Cap type:	LI/GU10
Brightness:	400 Lumens
Wattage:	5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	160°
Dimming:	Not dimmable
Dimensions:	80mm x 45mm
Voltage:	220 - 240v AC

8514 LI/GU10 Frosted LED GLS



Cap type:	LI/GU10
Brightness:	1000 Lumens
Wattage:	9W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	270°
Dimming:	Not dimmable
Dimensions:	119mm x 60mm
Voltage:	220 - 240v AC

8534 LI/GU10 Frosted LED Globe



Cap type:	LI/GU10
Brightness:	900 Lumens
Wattage:	10W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	270°
Dimming:	Not dimmable
Dimensions:	135mm x 95mm
Voltage:	220 - 240v AC

8634 Frosted Square G40 SMD LED



Cap type:	G40
Brightness:	300 Lumens
Wattage:	3.5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	120°
Dimming:	Not dimmable
Dimensions:	22mm x 46mm
Voltage:	220 - 240v AC

5530 X10 LED Mini Tube



Cap type:	X10
Brightness:	240 Lumens
Wattage:	3W
Colour temp:	3000K
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	330°
Dimming:	Not dimmable
Dimensions:	135mm x 12mm
Voltage:	220 - 240v AC

5540 X10 LED Pygmy



Cap type:	X10
Brightness:	240 Lumens
Wattage:	3W
Colour temp:	3000K
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	330°
Dimming:	Not dimmable
Dimensions:	55mm x 30mm
Voltage:	220 - 240v AC

8600 LI/GU10 Clear LED Tube



Cap type:	LI/GU10
Brightness:	420 Lumens
Wattage:	3.5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	330°
Dimming:	Not dimmable
Dimensions:	135mm x 30mm
Voltage:	220 - 240v AC

8602 LI/GU10 Frosted LED Tube



Cap type:	LI/GU10
Brightness:	380 Lumens
Wattage:	3.5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	330°
Dimming:	Not dimmable
Dimensions:	135mm x 30mm
Voltage:	220 - 240v AC

8605 LI/GU10 Clear LED Tube



Cap type:	LI/GU10
Brightness:	450 Lumens
Wattage:	5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	330°
Dimming:	Not dimmable
Dimensions:	135mm x 30mm
Voltage:	220 - 240v AC

tp24 DEDICATED LAMPS

tp24 DEDICATED LAMPS

2905 LI/GU10 LED Flat Plate



Cap type: **LI/GU10**
 Brightness: **400 Lumens**
 Wattage: **4.5W**
 Colour temp: **3000K (warm white)**
 Warm up: **Instant full light**
 CRI: **CRI 80**
 Beam angle: **120°**
 Dimming: **Not dimmable**
 Dimensions: **100mm x 33mm**
 Voltage: **220 - 240v AC**

8668 LIX Mini Capsule Lamp



Cap type: **LIX**
 Brightness: **60 Lumens**
 Wattage: **0.6W**
 Colour temp: **3000K (warm white)**
 Warm up: **Instant full light**
 CRI: **CRI 80**
 Beam angle: **120°**
 Dimming: **Not dimmable**
 Dimensions: **44mm x 22mm**
 Voltage: **220 - 240v AC**

www.tp24.com

8710 GU10/LI LED Spot



Cap type: **GU10/LI**
 Brightness: **330 Lumens**
 Wattage: **3.5W**
 Colour temp: **3000K (warm white)**
 Warm up: **Instant full light**
 CRI: **CRI 80**
 Beam angle: **120°**
 Dimming: **Not dimmable**
 Dimensions: **58mm x 50mm**
 Voltage: **220 - 240v AC**

8722 GU10/LI LED Long-neck Spot



Cap type: **GU10/LI**
 Brightness: **300 Lumens**
 Wattage: **3.5W**
 Colour temp: **3000K (warm white)**
 Warm up: **Instant full light**
 CRI: **CRI 80**
 Beam angle: **120°**
 Dimming: **Not dimmable**
 Dimensions: **76mm x 50mm**
 Voltage: **220 - 240v AC**

8700 MR16/GU5.3 LED Spot



Cap type: **MR16/GU5.3**
 Brightness: **300 Lumens**
 Wattage: **3.5W**
 Colour temp: **3000K (warm white)**
 Warm up: **Instant full light**
 CRI: **CRI 80**
 Beam angle: **120°**
 Dimming: **Not dimmable**
 Dimensions: **49mm x 50mm**
 Voltage: **12v DC**

G40 Round Covers

8628	5408	5409
White	Chrome	Satin



G40 Square Covers

8638	5403	5404
White	Chrome	Satin



Lamp Accessories/Tools

2749	2396	1740
Lamp Extractor	shade Ring Tool	Supernova



8750 SES R050 LED Spot



Cap type: **SES**
 Brightness: **400 Lumens**
 Wattage: **5W**
 Colour temp: **3000K (warm white)**
 Warm up: **Instant full light**
 CRI: **CRI 80**
 Beam angle: **120°**
 Dimming: **Not dimmable**
 Dimensions: **86mm x 50mm**
 Voltage: **220 - 240v AC**

8752 E27/ES R063 LED Spot



Cap type: **E27/ES**
 Brightness: **640 Lumens**
 Wattage: **8W**
 Colour temp: **3000K (warm white)**
 Warm up: **Instant full light**
 CRI: **CRI 80**
 Beam angle: **120°**
 Dimming: **Not dimmable**
 Dimensions: **100mm x 65mm**
 Voltage: **220 - 240v AC**

8754 E27/ES R080 LED Spot



Cap type: **E27/ES**
 Brightness: **800 Lumens**
 Wattage: **8W**
 Colour temp: **3000K (warm white)**
 Warm up: **Instant full light**
 CRI: **CRI 80**
 Beam angle: **120°**
 Dimming: **Not dimmable**
 Dimensions: **113mm x 80mm**
 Voltage: **220 - 240v AC**

2890 SES RO50 LED Spot



Cap type: **SES**
 Brightness: **160 Lumens**
 Wattage: **2.5W**
 Colour temp: **3000K (warm white)**
 Warm up: **Instant full light**
 CRI: **CRI 65**
 Beam angle: **120°**
 Dimming: **Not dimmable**
 Dimensions: **85mm x 50mm**
 Voltage: **220 - 240v AC**

3821 B22/BC Clear LED GLS



Cap type: **B22/BC**
 Brightness: **440 Lumens**
 Wattage: **5W**
 Colour temp: **3000K (warm white)**
 Warm up: **Instant full light**
 CRI: **CRI 80**
 Beam angle: **360°**
 Dimming: **Not dimmable**
 Dimensions: **112mm x 60mm**
 Voltage: **220 - 240v AC**

3822 E27/ES Clear LED GLS



Cap type: **E27/ES**
 Brightness: **440 Lumens**
 Wattage: **5W**
 Colour temp: **3000K (warm white)**
 Warm up: **Instant full light**
 CRI: **CRI 80**
 Beam angle: **360°**
 Dimming: **Not dimmable**
 Dimensions: **112mm x 60mm**
 Voltage: **220 - 240v AC**

THREE TIMES THE LIGHT...
 Triple your light output with Supernova. Simply attach to your ceiling pendant...

SUPERNOVA

STANDARD REPLACEMENT LAMPS

2893 GX53 Palm LED



Cap type:	GX53
Brightness:	210 Lumens
Wattage:	3W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 65
Beam angle:	120°
Dimming:	Not dimmable
Dimensions:	27mm x 75Ø
Voltage:	220 - 240v AC

8511 B22/BC Semi Frosted LED GLS



Cap type:	B22/BC
Brightness:	900 Lumens
Wattage:	9W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	270°
Dimming:	Not dimmable
Dimensions:	119mm x 60mm
Voltage:	220 - 240v AC

8513 E27/ES Semi Frosted LED GLS



Cap type:	E27/ES
Brightness:	900 Lumens
Wattage:	9W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	270°
Dimming:	Not dimmable
Dimensions:	119mm x 60mm
Voltage:	220 - 240v AC

3761 B22/BC Frosted LED Golf Ball



Cap type:	B22/BC
Brightness:	310 Lumens
Wattage:	4W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	130°
Dimming:	Not dimmable
Dimensions:	80mm x 50mm
Voltage:	220 - 240v AC

3762 E14/SES Frosted LED Golf Ball



Cap type:	E14/SES
Brightness:	310 Lumens
Wattage:	4W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	130°
Dimming:	Not dimmable
Dimensions:	85mm x 45mm
Voltage:	220 - 240v AC

3763 E27/ES Frosted LED Golf Ball



Cap type:	E27/ES
Brightness:	310 Lumens
Wattage:	4W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	130°
Dimming:	Not dimmable
Dimensions:	78.45mm x 50mm
Voltage:	220 - 240v AC

3750 B15/SBC Frosted LED Candle



Cap type:	B15/SBC
Brightness:	310 Lumens
Wattage:	4W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	160°
Dimming:	Not dimmable
Dimensions:	103mm x 38mm
Voltage:	220 - 240v AC

3751 B22/BC Frosted LED Candle



Cap type:	B22/BC
Brightness:	310 Lumens
Wattage:	4W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	160°
Dimming:	Not dimmable
Dimensions:	105mm x 37mm
Voltage:	220 - 240v AC

3752 E14/SES Frosted LED Candle



Cap type:	E14/SES
Brightness:	310 Lumens
Wattage:	4W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	160°
Dimming:	Not dimmable
Dimensions:	103.38mm x 35mm
Voltage:	220 - 240v AC

3771 B22/BC Frosted LED Candle Tip



Cap type:	B22/BC
Brightness:	350 Lumens
Wattage:	4W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	130°
Dimming:	Not dimmable
Dimensions:	127mm x 35mm
Voltage:	220 - 240v AC

3776 B22/BC Clear LED Candle Tip



Cap type:	B22/BC
Brightness:	350 Lumens
Wattage:	4W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	130°
Dimming:	Not dimmable
Dimensions:	127mm x 35mm
Voltage:	220 - 240v AC

3791 B22/BC Clear LED Candle



Cap type:	B22/BC
Brightness:	290 Lumens
Wattage:	4W
Colour temp:	2750K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	160°
Dimming:	Not dimmable
Dimensions:	103mm x 38mm
Voltage:	220 - 240v AC

3755 E14/SES Clear LED Candle



Cap type:	E14/SES
Brightness:	340 Lumens
Wattage:	4W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	130°
Dimming:	Not dimmable
Dimensions:	103mm x 38mm
Voltage:	220 - 240v AC

3756 B22/BC Clear LED Candle



Cap type:	B22/BC
Brightness:	340 Lumens
Wattage:	4W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	130°
Dimming:	Not dimmable
Dimensions:	102mm x 37mm
Voltage:	220 - 240v AC



HUGE RANGE OF
FITTINGS AVAILABLE AT
www.tp24.com

3792 E14/SES Clear LED Candle



Cap type:	E14/SES
Brightness:	290 Lumens
Wattage:	4W
Colour temp:	2750K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	160°
Dimming:	Not dimmable
Dimensions:	104.38mm x 38mm
Voltage:	220 - 240v AC

Extra Warm

STANDARD REPLACEMENT LAMPS

NEW

NOW AVAILABLE

A brand new range of dimmable LED bulbs

Over cabinets

G40 Under cabinets

G40 IP65 Downlight

STANDARD REPLACEMENT LAMPS

8030 B15/SBC Frosted LED Candle



Cap type:	B15/SBC
Brightness:	400 Lumens
Wattage:	5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	160°
Dimming:	Not dimmable
Dimensions:	97.34mm x 37mm
Voltage:	220 - 240v AC

8031 B22/BC Frosted LED Candle



Cap type:	B22/BC
Brightness:	400 Lumens
Wattage:	5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	130°
Dimming:	Not dimmable
Dimensions:	98.34mm x 37mm
Voltage:	220 - 240v AC

8032 E14/SES Frosted LED Candle



Cap type:	E14/SES
Brightness:	400 Lumens
Wattage:	5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	160°
Dimming:	Not dimmable
Dimensions:	98.34mm x 37mm
Voltage:	220 - 240v AC

3783 B15/SBC LED Pygmy



Cap type:	B15/SBC
Brightness:	400 Lumens
Wattage:	4W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	340°
Dimming:	Not dimmable
Dimensions:	53mm x 18mm
Voltage:	220 - 240v AC

3784 B22/BC LED Pygmy



Cap type:	B22/BC
Brightness:	240 Lumens
Wattage:	3W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	330°
Dimming:	Not dimmable
Dimensions:	58mm x 25mm
Voltage:	220 - 240v AC

3785 E14/SES LED Pygmy



Cap type:	E14/SES
Brightness:	240 Lumens
Wattage:	3W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	330°
Dimming:	Not dimmable
Dimensions:	60mm x 25mm
Voltage:	220 - 240v AC

8041 B22/BC Frosted LED Candle Tip



Cap type:	B22/BC
Brightness:	400 Lumens
Wattage:	5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	160°
Dimming:	Not dimmable
Dimensions:	122mm x 34mm
Voltage:	220 - 240v AC

8042 E14/SES Frosted LED Candle Tip



Cap type:	E14/SES
Brightness:	400 Lumens
Wattage:	5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	160°
Dimming:	Not dimmable
Dimensions:	122mm x 34mm
Voltage:	220 - 240v AC

8051 B22/BC Frosted LED Golf Ball



Cap type:	B22/BC
Brightness:	400 Lumens
Wattage:	5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	160°
Dimming:	Not dimmable
Dimensions:	70mm x 45mm
Voltage:	220 - 240v AC

8660 G9 LED Silicon Lamp

NEW



Cap type:	G9
Brightness:	210 Lumens
Wattage:	3W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	330°
Dimming:	Not dimmable
Dimensions:	50mm x 17mm
Voltage:	220 - 240v AC

3782 G9 LED Pygmy



Cap type:	G9
Brightness:	240 Lumens
Wattage:	3W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	330°
Dimming:	Not dimmable
Dimensions:	50mm x 25mm
Voltage:	220 - 240v AC

3786 G9 LED Pygmy



Cap type:	G9
Brightness:	240 Lumens
Wattage:	3W
Colour temp:	2750K (Ex. warm)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	330°
Dimming:	Not dimmable
Dimensions:	55mm x 30mm
Voltage:	220 - 240v AC

8052 E14/SES Frosted LED Golf Ball



Cap type:	E14/SES
Brightness:	400 Lumens
Wattage:	5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	160°
Dimming:	Not dimmable
Dimensions:	80mm x 45mm
Voltage:	220 - 240v AC

8053 E27/ES Frosted LED Golf Ball




Cap type:	E27/ES
Brightness:	400 Lumens
Wattage:	5W
Colour temp:	3000K (warm white)
Warm up:	Instant full light
CRI:	CRI 80
Beam angle:	160°
Dimming:	Not dimmable
Dimensions:	70mm x 45mm
Voltage:	220 - 240v AC

EU energy ratings

tp24 LEDs are highly efficient, with high lumen outputs, low energy consumption (wattage) and high colour rendering indexes (CRI), our lamps represent some of the best value on the market.

All tp24 LEDs currently have an EU energy rating of A+ or A++

To view our energy rating test reports please visit: www.tp24.com/test-reports



tp24 LED warranty

We are constantly increasing our range of dedicated low energy LED lamps.

Our lamps have an average lifetime of 15,000 hours and are also covered by our unique two year extended warranty when you register your lamps's unique serial number online.

tp24 fittings are fitted with our dedicated low energy L1 lamp holders. tp24 L1 lamps can also be used to replace GU10 lamps, such as halogen spots, which can save hundreds of pounds on electricity bills.



tp24 L1 to BC and ES adaptors

Now you can use all tp24 L1 LED lamps in fittings with B22/BC or E27/ES caps. What's more, unlike many bulky adaptors on the market, ours have been designed so that the lamp is sunken neatly into the adaptor as much as possible with only a thin collar on the adaptor for a discrete and clean fit that does not greatly alter the height of the lamp.

tp24 G40 system

The G40 system has been designed to bring you streamlined, replaceable and upgradeable LED. It boasts the benefits of built-in LED fittings without having to throw away the fitting at the end of the lamp's life and saves you having to buy and install a new fitting, which many people would pay an electrician to do. Who said LED had to be built-in to be streamlined!

tp24 LIX system

A newly designed, shallower collar than a standard L1 lamp means the LIX lamp can be smaller. This enabled our designers to design more delicate, elegant fittings whilst taking advantage of all the money saving benefits of LED. Now, when looking at an LIX fitting the eye is less distracted by the lamp itself, enabling the design of the fitting itself to stand out.

STANDARD REPLACEMENT LAMPS



www.tp24.com

tp24 Ltd.
12 Station Road,
Chatteris, PE16 6AG
Tel: 01354 691 919
Fax: 01354 695 879
Email: sales@tp24.com